Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: V-TAC

Supplier's address: V-TAC Europe Ltd, bul. Rozhen 41, Sofia, Bulgaria

Model identifier: 212155

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	+ve and -ve		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	Yes	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with specific dimmers

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
	mption in on- 100 h), rounded est integer	7	Energy efficiency class	G		
indicating if it r in a sphere (3	us flux (фuse), refers to the flux 60º), in a wide in a narrow cone	140 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	100010000		
On-mode p expressed in W	oower (P _{on}),	7,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00		
for CLS, expre	ndby power (P _{net}) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	60		
Outer	Height	4	Spectral power	See image		
dimensions	Width	10	distribution in the	in last page		
	<u></u>		_	Dage 1 / 3		

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	500	range 250 nm to 800 nm, at full-load			
Claim of equival	ent power ^(a)	-	lf yes, equivalent power (W)	-		
			Chromaticity	0,182		
			coordinates (x and y)	0,241		
Parameters for LED and OLED light sources:						
R9 colour rende	ring index value	2	Survival factor	1,00		
the lumen main	tenance factor	0,96				
(2)						

(a)'-' : not applicable;

(b)'-' : not applicable;

